

Art. 280605

HTG 17/17-40



- Material, lengthways: Glas 4800 Tex / Density: 2.46 g/cm³
- Material, crossways: Glas 4800 Tex / Density: 2.46 g/cm³
- Binder yarn: PES 167 dtex
- Weight: Approx.: 510 g/m² uncoated
Approx.: 585 g/m² coated

- Number of threads per meter
lengthways : 59
crossways: 59
- Reinforcement cross section per meter
lengthways : 115 mm²
crossways: 115 mm²

■ Test values according to DIN EN ISO 3341

□ Tensile strength

lengthways : 138 N/mm² → xx.x kN/m
crossways: 138 N/mm² → xx.x kN/m

□ Elongation

lengthways : 2.9 %
crossways: 2.9 %

- Coating: Acrylate / Application range up to 40 degrees Celsius

■ Grid opening:

lengthways: 17 mm
crossways: 17 mm

- Working width: 300 cm
- Working length: on demand

